

Page: 1

Date: 02/24/16 at 3:14 PM

Customer: S00056 / Sample Account

Sales Order #: 71159 Customer PO #: Shipped Qty: 270

5 drums

Packaged Product:	42001-55R			
•	CSC 2016 Endurance	Gasoline		
Property	Test Method	UOM	Specification	Value
SPECIFIC GRAVITY @ 60.0 F	ASTM D4052		REPORT	0.7529
DISTILLATION, IBP	ASTM D86	DEG F	REPORT	90.5
DISTILLATION, 10%	ASTM D86	DEG F	REPORT	125.8
DISTILLATION, 50%	ASTM D86	DEG F	REPORT	167.9
DISTILLATION, 90%	ASTM D86	DEG F	REPORT	300.4
DISTILLATION, DP	ASTM D86	DEG F	REPORT	390.8
RECOVERY	ASTM D86	VOL.%	REPORT	97.3
RESIDUE	ASTM D86	VOL.%	REPORT	1.1
.oss	ASTM D86	VOL.%	REPORT	1.6
ETHANOL CONTENT	GAGE-GC2	VOL.%	38.00 - 42.00	39.47
RVP @ 100 F	ASTM D5191	PSI (KPA)	13.00 - 14.00(89.57 - 96.46)	13.35(91.98)
CARBON CONTENT	ASTM D5291	WT.%	REPORT	72.16
HYDROGEN CONTENT	ASTM D5291	WT.%	REPORT	13.49
OXYGEN CONTENT	ASTM D5622	WT.%	REPORT	14.35
I/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	2.227
C/H RATIO	GAGE-CALCULATED	WT/WT	REPORT	5.350
O/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	0.149

Lot# 9204100

Made 02/20/16

In sealed unopened containers this product is good until 02/20/17

Approved By: Robert Putsett



Page: 1

Date: 02/24/16 at 3:14 PM

Customer: S00056 / Sample Account

Sales Order #: 71159 Customer PO #: Shipped Qty: 100

20 5-gal pails

Packaged Product: 42001-5C

rackageu i roudet.						
	CSC 2016 Endurance Gasoline					
Property	Test Method	UOM	Specification	Value		
SPECIFIC GRAVITY @ 60.0 F	ASTM D4052		REPORT	0.7524		
DISTILLATION, IBP	ASTM D86	DEG F	REPORT	90.5		
DISTILLATION, 10%	ASTM D86	DEG F	REPORT	125.8		
DISTILLATION, 50%	ASTM D86	DEG F	REPORT	167.9		
DISTILLATION, 90%	ASTM D86	DEG F	REPORT	300.4		
ISTILLATION, DP	ASTM D86	DEG F	REPORT	390.8		
ECOVERY	ASTM D86	VOL.%	REPORT	97.3		
RESIDUE	ASTM D86	VOL.%	REPORT	1.1		
oss	ASTM D86	VOL.%	REPORT	1.6		
THANOL CONTENT	GAGE-GC2	VOL.%	38.00 - 42.00	39.47		
RVP @ 100 F	ASTM D5191	PSI (KPA)	13.00 - 14.00(89.57 - 96.46)	13.49(92.95)		
ARBON CONTENT	ASTM D5291	WT.%	REPORT	72.16		
IYDROGEN CONTENT	ASTM D5291	WT.%	REPORT	13.49		
XYGEN CONTENT	ASTM D5622	WT.%	REPORT	14.35		
I/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	2.227		
/H RATIO	GAGE-CALCULATED	WT/WT	REPORT	5.350		
)/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	0.149		

Lot # 9204000

Made 02/23/16

In sealed unopened containers this product is good until 02/23/17

Approved By: Robort Putsett



Page: 1

Date: 02/24/16 at 3:14 PM

Customer: S00056 / Sample Account

Sales Order #: 71159 Customer PO #: Shipped Qty: 54 1 Drum

Packaged Product:	42002-55F			
_	CSC 2016 Emissions	Gasoline		
Property	Test Method	UOM	Specification	Value
SPECIFIC GRAVITY @ 60.0 F	ASTM D4052		REPORT	0.7468
DISTILLATION, IBP	ASTM D86	DEG F	REPORT	35.7
DISTILLATION, 10%	ASTM D86	DEG F	REPORT	53.3
DISTILLATION, 50%	ASTM D86	DEG F	REPORT	93.7
DISTILLATION, 90%	ASTM D86	DEG F	REPORT	162.1
DISTILLATION, DP	ASTM D86	DEG F	REPORT	206.2
RECOVERY	ASTM D86	VOL.%	REPORT	98.4
RESIDUE	ASTM D86	VOL.%	REPORT	1.0
LOSS	ASTM D86	VOL.%	REPORT	0.6
ETHANOL CONTENT	GAGE-GC2	VOL.%	9.50 - 10.50	9.79
RVP @ 100 F	ASTM D5191	PSI (KPA)	8.50 - 9.50(58.57 - 65.46)	8.91(61.39)
CARBON CONTENT	ASTM D5291	WT.%	REPORT	82.55
HYDROGEN CONTENT	ASTM D5291	WT.%	REPORT	13.84
OXYGEN CONTENT	ASTM D5622	WT.%	REPORT	3.61
H/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	1.998
C/H RATIO	GAGE-CALCULATED	WT/WT	REPORT	5.965
O/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	0.033

Lot # 9204400

Made 02/21/16

In sealed unopened containers this product is good until 02/21/17

Approved By:__



Page: 1

Date: 02/24/16 at 3:14 PM

Customer: S00056 / Sample Account

Sales Order #: 71159 Customer PO #: Shipped Qty: 25 5 - gal parts

Packaged Product:	42002-5C			
· ·	CSC 2016 Emissions	Gasoline		
Property	Test Method	UOM	Specification	Value
SPECIFIC GRAVITY @ 60.0 F	ASTM D4052		REPORT	0.7468
DISTILLATION, IBP	ASTM D86	DEG F	REPORT	35.7
DISTILLATION, 10%	ASTM D86	DEG F	REPORT	53.3
DISTILLATION, 50%	ASTM D86	DEG F	REPORT	93.7
DISTILLATION, 90%	ASTM D86	DEG F	REPORT	162.1
DISTILLATION, DP	ASTM D86	DEG F	REPORT	206.2
RECOVERY	ASTM D86	VOL.%	REPORT	98.4
RESIDUE	ASTM D86	VOL.%	REPORT	1.0
LOSS	ASTM D86	VOL.%	REPORT	0.6
ETHANOL CONTENT	GAGE-GC2	VOL.%	9.50 - 10.50	9.79
RVP @ 100 F	ASTM D5191	PSI (KPA)	8.50 - 9.50(58.57 - 65.46)	8.91(61.39)
CARBON CONTENT	ASTM D5291	WT.%	REPORT	82.55
HYDROGEN CONTENT	ASTM D5291	WT.%	REPORT	13.84
OXYGEN CONTENT	ASTM D5622	WT.%	REPORT	3.61
H/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	1.998
C/H RATIO	GAGE-CALCULATED	WT/WT	REPORT	5.965
O/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	0.033

Lot # 9204500

Made 02/21/16

In sealed unopened containers this product is good until 02/21/17

Approved By: Robort Putsett



Page: 1

Date: 02/24/16 at 3:14 PM

Customer: S00056 / Sample Account

Sales Order #: 71159 Customer PO #: Shipped Qty: 45

1 Drum

Packaged Product:	42003-55F			
J	CSC 2016 Diesel Fue	el		
Property	Test Method	UOM	Specification	Value
SPECIFIC GRAVITY @ 60.0 F	ASTM D4052		REPORT	0.8578
DISTILLATION, IBP	ASTM D86	DEG F	REPORT	383.2
DISTILLATION, 10%	ASTM D86	DEG F	REPORT	435.1
DISTILLATION, 50%	ASTM D86	DEG F	REPORT	537.7
DISTILLATION, 90%	ASTM D86	DEG F	REPORT	623.5
DISTILLATION, DP	ASTM D86	DEG F	REPORT	640.9
RECOVERY	ASTM D86	VOL.%	REPORT	97.5
RESIDUE	ASTM D86	VOL.%	REPORT	1.4
LOSS	ASTM D86	VOL.%	REPORT	1.1
SME BIODIESEL CONTENT	GAGE-GC2	VOL.%	19.00 - 21.00	19.68
CARBON CONTENT	ASTM D5291	WT.%	REPORT	87.01
HYDROGEN CONTENT	ASTM D5291	WT.%	REPORT	12.99
OXYGEN CONTENT	ASTM D5622	WT.%	REPORT	0
H/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	1.779
C/H RATIO	GAGE-CALCULATED	WT/WT	REPORT	6.699
O/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	0
9204900	Ma	do 02/17/16		

Lot # 9204900

Made 02/17/16

In sealed unopened containers this product is good until 02/17/17

Approved By: Robot Putsett



Page: 1

Date: 02/24/16 at 3:14 PM

Customer: S00056 / Sample Account

Sales Order #: 71159 Customer PO #: Shipped Qty: 10 2 5-gal pauls

42003-5C Packaged Product:

aonagea i readet.				
	CSC 2016 Diesel Fue	el		
Property	Test Method	UOM	Specification	Value
SPECIFIC GRAVITY @ 60.0 F	ASTM D4052		REPORT	0.8578
DISTILLATION, IBP	ASTM D86	DEG F	REPORT	383.2
DISTILLATION, 10%	ASTM D86	DEG F	REPORT	435.1
DISTILLATION, 50%	ASTM D86	DEG F	REPORT	537.7
DISTILLATION, 90%	ASTM D86	DEG F	REPORT	623.5
DISTILLATION, DP	ASTM D86	DEG F	REPORT	640.9
RECOVERY	ASTM D86	VOL.%	REPORT	97.5
RESIDUE	ASTM D86	VOL.%	REPORT	1.4
LOSS	ASTM D86	VOL.%	REPORT	1.1
SME BIODIESEL CONTENT	GAGE-GC2	VOL.%	19.00 - 21.00	19.67
CARBON CONTENT	ASTM D5291	WT.%	REPORT	87.01
HYDROGEN CONTENT	ASTM D5291	WT.%	REPORT	12.99
OXYGEN CONTENT	ASTM D5622	WT.%	REPORT	0
H/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	1.779
C/H RATIO	GAGE-CALCULATED	WT/WT	REPORT	6.699
O/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	0

Lot# 9204800

Made 02/17/16

In sealed unopened containers this product is good until 02/17/17

Approved By: Robot Putsett