

**Gage Products Company**  
**Certificate of Analysis / QC Results**

Customer: G00066 / Gage Internal Department

Sales Order # : 980   Customer PO # :   Shipped Qty : 275

<b>Packaged Product:</b> 41021-55F			
CSC Exx Endurance Test Fuel			
Test	Target/UOM	Range	Result
<b>SPECIFIC GRAVITY @ 60F</b>			0.7537
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, IBP</b>			94.1
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 10%</b>			132.8
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 20%</b>			156.7
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 30%</b>			163.0
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 40%</b>			165.2
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 50%</b>			166.8
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 60%</b>			168.3
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 70%</b>			169.7
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 80%</b>			171.1
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 90%</b>			173.7
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, DP</b>			176.7
Tested	03/05/09		
Recorded	03/05/09		
<b>RECOVERY</b>			92.8
Tested	03/05/09		
Recorded	03/05/09		
<b>LOSS</b>			2.8
Tested	03/05/09		
Recorded	03/05/09		
<b>RESIDUE</b>			4.4
Tested	03/05/09		
Recorded	03/05/09		
<b>RVP @ 100 DEG. F (PSI)</b>		11.00 - 13.00	11.65
Tested	03/05/09		
Recorded	03/05/09		

Gage Products Company  
Certificate of Analysis / QC Results

Customer: G00066 / Gage Internal Department  
Sales Order # : 980    Customer PO # :    Shipped Qty : 275

ETHANOL CONTENT (VOL.%)		54.00 - 56.00	55.90
Tested	03/05/09		
Recorded	03/05/09		
Lot #	217000		
Made	03/05/09		

**Gage Products Company**  
**Certificate of Analysis / QC Results**

Customer: G00066 / Gage Internal Department

Sales Order # : 980    Customer PO # :    Shipped Qty : 165

<b>Packaged Product:</b> 41022-55F			
CSC Eyy Emissions Test Fuel			
Test	Target/UOM	Range	Result
<b>SPECIFIC GRAVITY @ 60F</b>			0.7525
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, IBP</b>			100.9
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 10%</b>			134.6
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 20%</b>			149.7
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 30%</b>			157.8
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 40%</b>			161.8
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 50%</b>			164.8
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 60%</b>			170.8
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 70%</b>			230.7
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 80%</b>			243.7
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 90%</b>			255.7
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, DP</b>			400.1
Tested	03/10/09		
Recorded	03/10/09		
<b>RECOVERY</b>			96.9
Tested	03/10/09		
Recorded	03/10/09		
<b>LOSS</b>			2.1
Tested	03/10/09		
Recorded	03/10/09		
<b>RESIDUE</b>			1.0
Tested	03/10/09		
Recorded	03/10/09		
<b>RVP @ 100 DEG. F (PSI)</b>		9.00 - 10.00	9.00
Tested	03/10/09		
Recorded	03/10/09		

**Gage Products Company**  
**Certificate of Analysis / QC Results**

Customer: G00066 / Gage Internal Department

Sales Order # : 980   Customer PO # :   Shipped Qty : 165

ETHANOL CONTENT (VOL.%)		21.00 - 23.00	21.30
Tested	03/10/09		
Recorded	03/10/09		
CARBON CONTENT (WT%)			78.35
Tested	03/10/09		
Recorded	03/10/09		
HYDROGEN CONTENT (WT%)			13.70
Tested	03/10/09		
Recorded	03/10/09		
H/C RATIO			2.098
Tested	03/10/09		
Recorded	03/10/09		
OXYGEN CONTENT, WT.%			7.95
Tested	03/10/09		
Recorded	03/10/09		

**Lot #** 216100

**Made** 03/10/09

**Gage Products Company**  
**Certificate of Analysis / QC Results**

Customer: G00066 / Gage Internal Department

Sales Order # : 980    Customer PO # :    Shipped Qty : 110

**Packaged Product:** 41023-55F

CSC Ezz Test Fuel

Test	Target/UOM	Range	Result
<b>SPECIFIC GRAVITY @ 60F</b>			0.7359
Tested      03/06/09			
Recorded    03/06/09			
<b>DISTILLATION, IBP</b>			89.1
Tested      03/06/09			
Recorded    03/06/09			
<b>DISTILLATION, 10%</b>			113.5
Tested      03/06/09			
Recorded    03/06/09			
<b>DISTILLATION, 20%</b>			137.5
Tested      03/06/09			
Recorded    03/06/09			
<b>DISTILLATION, 30%</b>			154.6
Tested      03/06/09			
Recorded    03/06/09			
<b>DISTILLATION, 40%</b>			163.9
Tested      03/06/09			
Recorded    03/06/09			
<b>DISTILLATION, 50%</b>			212.4
Tested      03/06/09			
Recorded    03/06/09			
<b>DISTILLATION, 60%</b>			223.3
Tested      03/06/09			
Recorded    03/06/09			
<b>DISTILLATION, 70%</b>			228.9
Tested      03/06/09			
Recorded    03/06/09			
<b>DISTILLATION, 80%</b>			238.5
Tested      03/06/09			
Recorded    03/06/09			
<b>DISTILLATION, 90%</b>			265.3
Tested      03/06/09			
Recorded    03/06/09			
<b>DISTILLATION, DP</b>			389.1
Tested      03/06/09			
Recorded    03/06/09			
<b>RECOVERY</b>			94.4
Tested      03/06/09			
Recorded    03/06/09			
<b>LOSS</b>			5.0
Tested      03/06/09			
Recorded    03/06/09			
<b>RESIDUE</b>			0.6
Tested      03/06/09			
Recorded    03/06/09			
<b>RVP @ 100 DEG. F (PSI)</b>		11.00 - 13.00	12.80
Tested      03/06/09			
Recorded    03/06/09			

**Gage Products Company**  
**Certificate of Analysis / QC Results**

**Customer: G00066 / Gage Internal Department**

**Sales Order # : 980   Customer PO # :   Shipped Qty : 110**

**ETHANOL CONTENT (VOL.%)**

10.00 - 12.00

10.73

Tested    03/06/09

Recorded   03/06/09

**Lot #**   216900

**Made**   03/06/09

**Gage Products Company**  
**Certificate of Analysis / QC Results**

Customer: G00066 / Gage Internal Department

Sales Order # : 980    Customer PO # :    Shipped Qty : 25

<b>Packaged Product:</b> 41024-55F			
CSC Bxx Endurance Test Fuel			
Test	Target/UOM	Range	Result
<b>SPECIFIC GRAVITY @ 60F</b>			0.8579
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, IBP</b>			358.9
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 10%</b>			429.1
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 20%</b>			457.9
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 30%</b>			484.5
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 40%</b>			514.9
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 50%</b>			538.9
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 60%</b>			557.8
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 70%</b>			576.3
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 80%</b>			595.6
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 90%</b>			618.8
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, DP</b>			652.1
Tested	03/05/09		
Recorded	03/05/09		
<b>RECOVERY</b>			97.7
Tested	03/05/09		
Recorded	03/05/09		
<b>LOSS</b>			1.1
Tested	03/05/09		
Recorded	03/05/09		
<b>RESIDUE</b>			1.2
Tested	03/05/09		
Recorded	03/05/09		
<b>SME BIODIESEL CONTENT (VOL.%)</b>		12.50 - 13.50	12.50
Tested	03/05/09		
Recorded	03/05/09		
<b>Lot #</b>	216300		
<b>Made</b>	03/06/09		

**Gage Products Company**  
**Certificate of Analysis / QC Results**

Customer: G00066 / Gage Internal Department

Sales Order # : 980    Customer PO # :    Shipped Qty : 15

<b>Packaged Product:</b> 41025-5C			
CSC By Emissions Test Fuel			
Test	Target/UOM	Range	Result
<b>SPECIFIC GRAVITY @ 60F</b>			0.8561
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, IBP</b>			360.1
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 10%</b>			425.1
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 20%</b>			448.9
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 30%</b>			476.1
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 40%</b>			506.1
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 50%</b>			528.6
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 60%</b>			547.2
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 70%</b>			565.0
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 80%</b>			585.7
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, 90%</b>			612
Tested	03/05/09		
Recorded	03/05/09		
<b>DISTILLATION, DP</b>			645.1
Tested	03/05/09		
Recorded	03/05/09		
<b>RECOVERY</b>			97.4
Tested	03/05/09		
Recorded	03/05/09		
<b>LOSS</b>			1.5
Tested	03/05/09		
Recorded	03/05/09		
<b>RESIDUE</b>			1.1
Tested	03/05/09		
Recorded	03/05/09		
<b>SME BIODIESEL CONTENT (VOL.%)</b>		4.50 - 5.50	4.75
Tested	03/05/09		
Recorded	03/05/09		



**Gage Products Company**  
**Certificate of Analysis / QC Results**

**Customer: G00066 / Gage Internal Department**

**Sales Order # : 980   Customer PO # :   Shipped Qty : 15**

<b>CARBON CONTENT (WT%)</b>		86.51
Tested	03/10/09	
Recorded	03/10/09	
<b>HYDROGEN CONTENT (WT%)</b>		12.96
Tested	03/10/09	
Recorded	03/10/09	
<b>H/C RATIO</b>		1.798
Tested	03/10/09	
Recorded	03/10/09	
<b>OXYGEN CONTENT, WT. %</b>		0.53
Tested	03/10/09	
Recorded	03/10/09	
<b>Lot #</b> 216500		
<b>Made</b> 03/05/09		

**Gage Products Company**  
**Certificate of Analysis / QC Results**

Customer: G00066 / Gage Internal Department

Sales Order # : 980    Customer PO # :    Shipped Qty : 10

<b>Packaged Product:</b> 41026-5C			
CSC Bzz Test Fuel			
Test	Target/UOM	Range	Result
<b>SPECIFIC GRAVITY @ 60F</b>			0.8554
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, IBP</b>			366.6
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 10%</b>			409.6
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 20%</b>			450.9
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 30%</b>			474.3
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 40%</b>			502.5
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 50%</b>			527.0
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 60%</b>			545.5
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 70%</b>			562.8
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 80%</b>			583.0
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, 90%</b>			608.7
Tested	03/10/09		
Recorded	03/10/09		
<b>DISTILLATION, DP</b>			647.6
Tested	03/10/09		
Recorded	03/10/09		
<b>RECOVERY</b>			97.9
Tested	03/10/09		
Recorded	03/10/09		
<b>LOSS</b>			1.0
Tested	03/10/09		
Recorded	03/10/09		
<b>RESIDUE</b>			1.1
Tested	03/10/09		
Recorded	03/10/09		
<b>SME BIODIESEL CONTENT (VOL.%)</b>		2.50 - 3.50	2.81
Tested	03/10/09		
Recorded	03/10/09		
<b>Lot #</b>	216600		
<b>Made</b>	03/10/09		