

Gage Products Company
Certificate of Analysis / QC Results

Page: 1

Date: 02/26/15 at 2:11 PM

Customer PO # :

Packaged Product: 41276 CSC 2015 Endurance Gasoline				
Property	Test Method	UOM	Specification	Value
SPECIFIC GRAVITY @ 60F	ASTM D4052		REPORT	0.7368
DISTILLATION, IBP	ASTM D86	DEG F	REPORT	80.2
DISTILLATION, 10%	ASTM D86	DEG F	REPORT	97.3
DISTILLATION, 50%	ASTM D86	DEG F	REPORT	203.4
DISTILLATION, 90%	ASTM D86	DEG F	REPORT	302.2
DISTILLATION, DP	ASTM D86	DEG F	REPORT	393.4
RECOVERY	ASTM D86	VOL. %	REPORT	94.4
RESIDUE	ASTM D86	VOL. %	REPORT	1.1
LOSS	ASTM D86	VOL. %	REPORT	4.5
ISOBUTANOL CONTENT	ASTM D4815	VOL. %	15.5 - 16.5	15.8
RVP @ 100 DEG. F	ASTM D5191	PSI (KPA)	13.00 - 14.00(89.57 - 96.46)	14.23(98.04)
CARBON CONTENT	ASTM D5291	WT. %	REPORT	82.53
HYDROGEN CONTENT	ASTM D5291	WT. %	REPORT	13.74
OXYGEN CONTENT	ASTM D5622	WT. %	REPORT	3.73
H/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	1.984
C/H RATIO	GAGE-CALCULATED	WT/WT	REPORT	6.006
O/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	0.034
Lot # 7786700 Made 02/06/15 In sealed unopened containers this product is good until 01/29/16 Approved By: <u>Robert Patzelt</u>				

Gage Products Company
Certificate of Analysis / QC Results

Page: 1

Date: 02/26/15 at 2:12 PM

Customer PO # :

Packaged Product: 41277 CSC 2015 Emissions Gasoline				
Property	Test Method	UOM	Specification	Value
SPECIFIC GRAVITY @ 60F	ASTM D4052		REPORT	0.7545
DISTILLATION, IBP	ASTM D86	DEG F	REPORT	94.1
DISTILLATION, 10%	ASTM D86	DEG F	REPORT	130.3
DISTILLATION, 50%	ASTM D86	DEG F	REPORT	208.0
DISTILLATION, 90%	ASTM D86	DEG F	REPORT	311.0
DISTILLATION, DP	ASTM D86	DEG F	REPORT	397.9
RECOVERY	ASTM D86	VOL. %	REPORT	97.3
RESIDUE	ASTM D86	VOL. %	REPORT	1.0
LOSS	ASTM D86	VOL. %	REPORT	1.7
ISOBUTANOL CONTENT	ASTM D4815	VOL. %	15.5 - 16.5	15.7
RVP @ 100 DEG. F	ASTM D5191	PSI (KPA)	9.00 - 10.00(62.01 - 68.90)	9.25(63.73)
CARBON CONTENT	ASTM D5291	WT. %	REPORT	82.99
HYDROGEN CONTENT	ASTM D5291	WT. %	REPORT	13.40
OXYGEN CONTENT	ASTM D5622	WT. %	REPORT	3.61
H/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	1.924
C/H RATIO	GAGE-CALCULATED	WT/WT	REPORT	6.194
O/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	0.033
Lot # 7787000 Made 02/10/15 In sealed unopened containers this product is good until 01/29/16 Approved By: <u>Robert Patzelt</u>				

Gage Products Company
Certificate of Analysis / QC Results

Page: 1

Date: 02/26/15 at 2:13 PM

Customer PO # :

Packaged Product: 41278 CSC 2015 Diesel Fuel				
Property	Test Method	UOM	Specification	Value
SPECIFIC GRAVITY @ 60F	ASTM D4052		REPORT	0.8527
DISTILLATION, IBP	ASTM D86	DEG F	REPORT	379.6
DISTILLATION, 10%	ASTM D86	DEG F	REPORT	430.2
DISTILLATION, 50%	ASTM D86	DEG F	REPORT	522.0
DISTILLATION, 90%	ASTM D86	DEG F	REPORT	610.7
DISTILLATION, DP	ASTM D86	DEG F	REPORT	639.1
RECOVERY	ASTM D86	VOL. %	REPORT	97.9
RESIDUE	ASTM D86	VOL. %	REPORT	1.3
LOSS	ASTM D86	VOL. %	REPORT	0.8
SME BIODIESEL CONTENT	GAGE-GC2	VOL. %	5.80 - 6.20	6.06
CARBON CONTENT	ASTM D5291	WT. %	REPORT	86.51
HYDROGEN CONTENT	ASTM D5291	WT. %	REPORT	12.80
OXYGEN CONTENT	ASTM D5622	WT. %	REPORT	0.69
H/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	1.764
C/H RATIO	GAGE-CALCULATED	WT/WT	REPORT	6.756
O/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	0.006
<p>Lot # 7787300 Made 02/06/15</p> <p>In sealed unopened containers this product is good until 01/29/16</p> <p>Approved By: <u>Robert Patzelt</u></p>				