

Gage Products Company Certificate of Analysis / QC Results

Page: 1

Date: 03/01/17 at 2:32 PM

Customer PO #:

Packaged Product:	42313						
	CSC 2017 Endurance Gasoline						
Property	Test Method	UOM	Specification	Value			
SPECIFIC GRAVITY @ 60.0 F	ASTM D4052		REPORT	0.7646			
DISTILLATION, IBP	ASTM D86	DEG F	REPORT	89.2			
DISTILLATION, 10%	ASTM D86	DEG F	REPORT	123.6			
DISTILLATION, 50%	ASTM D86	DEG F	REPORT	170.4			
DISTILLATION, 90%	ASTM D86	DEG F	REPORT	175.1			
DISTILLATION, DP	ASTM D86	DEG F	REPORT	347.9			
RECOVERY	ASTM D86	VOL.%	REPORT	96.1			
RESIDUE	ASTM D86	VOL.%	REPORT	2.3			
LOSS	ASTM D86	VOL.%	REPORT	1.6			
ETHANOL CONTENT	GAGE-GC2	VOL.%	58.00 - 62.00	58.23			
RVP @ 100 F	ASTM D5191	PSI (KPA)	13.00 - 15.00(89.57 - 103.35)	14.45(99.56)			
CARBON CONTENT	ASTM D5291	WT.%	REPORT	65.89			
HYDROGEN CONTENT	ASTM D5291	WT.%	REPORT	13.12			
OXYGEN CONTENT	ASTM D5622	WT.%	REPORT	20.99			
H/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	2.373			
C/H RATIO	GAGE-CALCULATED	WT/WT	REPORT	5.021			
O/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	0.239			

Lot # 10624700

Made 02/15/17

In sealed unopened containers this product is good until 02/15/19

Approved By: Robert Vitzett



Gage Products Company Certificate of Analysis / QC Results

Page: 1

Date: 03/01/17 at 2:33 PM

Customer PO #:

Packaged Product:	42314						
	CSC 2017 Emissions Gasoline						
Property	Test Method	UOM	Specification	Value			
SPECIFIC GRAVITY @ 60.0 F	ASTM D4052		REPORT	0.7718			
DISTILLATION, IBP	ASTM D86	DEG F	REPORT	96.4			
DISTILLATION, 10%	ASTM D86	DEG F	REPORT	143.2			
DISTILLATION, 50%	ASTM D86	DEG F	REPORT	170.2			
DISTILLATION, 90%	ASTM D86	DEG F	REPORT	174.4			
DISTILLATION, DP	ASTM D86	DEG F	REPORT	366.1			
RECOVERY	ASTM D86	VOL.%	REPORT	97.6			
RESIDUE	ASTM D86	VOL.%	REPORT	0.9			
LOSS	ASTM D86	VOL.%	REPORT	1.5			
ETHANOL CONTENT	GAGE-GC2	VOL.%	58.00 - 62.00	59.02			
RVP @ 100 F	ASTM D5191	PSI (KPA)	8.50 - 10.00(58.57 - 68.90)	9.41(64.83)			
CARBON CONTENT	ASTM D5291	WT.%	REPORT	65.80			
HYDROGEN CONTENT	ASTM D5291	WT.%	REPORT	13.13			
OXYGEN CONTENT	ASTM D5622	WT.%	REPORT	21.07			
H/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	2.38			
C/H RATIO	GAGE-CALCULATED	WT/WT	REPORT	5.01			

Lot # 10624400

O/C RATIO

Made 02/14/17

MOLE/MOLE

REPORT

0.24

In sealed unopened containers this product is good until 02/14/19

Approved By: Robert Publit

GAGE-CALCULATED



Gage Products Company Certificate of Analysis / QC Results

Page: 1

Date: 03/01/17 at 2:35 PM

Customer PO #:

Packaged Product: 42315

CSC 2017 Diesel Fuel

Property	Test Method	UOM	Specification	Value
SPECIFIC GRAVITY @ 60.0 F	ASTM D4052		REPORT	0.8566
DISTILLATION, IBP	ASTM D86	DEG F	REPORT	373.5
DISTILLATION, 10%	ASTM D86	DEG F	REPORT	433.8
DISTILLATION, 50%	ASTM D86	DEG F	REPORT	532.5
DISTILLATION, 90%	ASTM D86	DEG F	REPORT	620.4
DISTILLATION, DP	ASTM D86	DEG F	REPORT	642.2
RECOVERY	ASTM D86	VOL.%	REPORT	97.9
RESIDUE	ASTM D86	VOL.%	REPORT	1.4
LOSS	ASTM D86	VOL.%	REPORT	0.7
SME BIODIESEL CONTENT	GAGE-GC2	VOL.%	14.00 - 16.00	14.61
CARBON CONTENT	ASTM D5291	WT.%	REPORT	84.023
HYDROGEN CONTENT	ASTM D5291	WT.%	REPORT	12.657
H/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	1.795
C/H RATIO	GAGE-CALCULATED	WT/WT	REPORT	6.639
O/C RATIO	GAGE-CALCULATED	MOLE/MOLE	REPORT	0.030
OXYGEN CONTENT	ASTM D4815	WT.%	REPORT	1.65

Lot # 10624100

Made 02/13/17

In sealed unopened containers this product is good until 02/13/19

Approved By: Robert Putzutt